

Sugar Hydrating Lip Mask

Skin Care | FM-SC-2022006

Features

The savior of dry lips, the combination of natural beeswax, sucrose ester and shea butter provides triple repair for lips. Beeswax strengthens the moisture barrier, sucrose locks in moisture firmly, and shea butter improves hydration and elasticity.

Ingredients

☞ Cerafumei® White Beeswax 2002 and ☞ Cerafumei® Sunflower Wax 5301 act as structuring agent to provide desirable texture, stability and pay-off properties.

Phase	Ingredients	INCI	% wt	Function
A	Cerafumei® White Beeswax 2002 ¹	Beeswax	4.00	Structuring agent
	Cerafumei® Sunflower Wax 5301 ¹	Helianthus Annuus (Sunflower) Seed Wax	5.00	Structuring agent
B	COSMOL™ 222 ²	Diisostearyl Malate	22.00	Emollient
	Versagel® ME 750 ³	Hydrogenated Polyisobutene (and) Ethylene/Propylene/Styrene Copolymer (and) Butylene/Ethylene/Styrene Copolymer (and) BHT	23.70	Emollient
	Plandool™-G ⁴	Bis-Behenyl/Isostearyl/Phytosteryl Dimer Dilinoleyl Dimer Dilinoleate	10.00	Emollient
	Panalane® H-300E ⁵	Hydrogenated Polyisobutylene	20.00	Emollient
	PureSyn™ 4 ⁵	Hydrogenated Poly (C6-14 Olefin)	10.00	Emollient
	LIPEX® Shea ⁷	Butyrospermum Parkii (Shea) Butter	3.00	Emollient
	Crodesta™ A-10E ⁸	Sucrose Tetrastearate Triacetate	1.00	Emollient
	Dimethicone Mica-2 ⁹	Mica (and) Dimethicone	1.00	Sensory modifier
C	Fragrance	Fragrance	0.30	Fragrance

Suppliers: 1: Fumei 2: Nisshin Oillio 3: Calumet 4: Nippon Fine Chemical 5: INEOS Oligomers 6: ExxonMobil 7: AAK 8: Croda 9: Miyoshi

Procedure:

- Heat phase A to 90°C ~95°C with stirring, melt for 10 mins.
- Add phase B to the main tank, homo mix.
- Degas and then add phase C to the Phase A+B with stirring.

Specification:

Appearance: Paste

Stability:

Pass 3 months at -18°C, 5°C, 25°C, 30°C, 2 months at 45°C, and 1 month at 50°C.
Freeze-Thaw Test: 3 cycles.



Disclaimer:

The information in this publication is believed to be accurate and is given in good faith, but no representation or warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions. Users are responsible for determining the suitability of these products for their own particular purpose. NO WARRANTIES OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, OR THAT DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. Nothing contained herein is to be considered as permission, recommendation, nor as an inducement to practice any patented invention without the permission of the patent owner.