

Matte Magic Restylable Wax

Hair Care | FM-HC-2025009

Features

The unique formula for men delivers lightweight shaping power, allowing flexible control and all-day restyling. Effortlessly switch between different styles with ease.

Ingredients

- 🐝 Cerafumei® Yellow Beeswax 2004: acts as thickener and consistency factor to deliver desired texture.
- 🔍 Microfumei® Microcrystalline Wax 6303, 6302: delivers exceptional spreadability for smooth, even application.
- 🌿 Cerafumei® Carnauba Wax 2012: provides extended hold duration for long-lasting styling.

Phase	Ingredients	INCI	% wt	Function
A	D.I.Water	Water	59.75	Diluent
	Glycerin	Glycerin	4.00	Skin conditioner
	1, 2-Hexanediol	1, 2-Hexanediol	0.10	Preservative
	Hydroxyacetophenone	Hydroxyacetophenone	0.10	Preservative
	1, 3-Butylene Glycol	Butylene Glycol	0.30	Preservative
	Carbopol® 981 Polymer ¹	Carbomer	0.10	Thickener
B	Cerafumei® Yellow Beeswax 2004 ²	Beeswax	3.00	Structuring agent
	Microfumei® Microcrystalline Wax 6303 ²	Microcrystalline Wax	6.50	Structuring agent
	Microfumei® Microcrystalline Wax 6302 ²	Microcrystalline Wax	9.00	Structuring agent
	Cerafumei® Carnauba Wax 2012 ²	Copernicia Cerifera (Carnauba) Wax	6.00	Structuring agent
	Span™ 60 ³	Sorbitan Stearate	4.00	Emulsifier
	BRIJ™ S20-PA-(SG) ⁴	Cetareth-20	3.00	Emulsifier
	POLYSYNLANE LITE ⁵	Hydrogenated Polyisobutene	1.50	Emollient
	PMX-200 Silicone Fluid 100 CS ⁶	Dimethicone	0.50	Emollient
	Cetiol SN-1 ⁷	Cetyl Ethylhexanoate	0.50	Emollient
C	ImerCare Matte	Kaolin	0.10	Skin conditioner
	Unicert Yellow 08005-J (0.1%) ⁸	CI 19140 (and) Water	1.50	Colorant
	G75-6570 ⁹	CI 77499	0.05	Adsorbent

Suppliers: 1: Lubrizol 2: Fumei 3: HUANA 4: Croda 5: Nisshin OilliO 6: Dow 7: BASF 8: SENSIENT 9: PREMIER

Procedure:

- Heat and dissolve Phase A, and heat to 85-90°C.
- Add Phase B into the water phase, heat to 85-90°C, and stir until uniform.
- Add Phase B into Phase A, stir and homogenize at 6000r/min for 10 min.
- Add Phase C, stir and homogenize for 3 min.
- Stir to cool down to 75°C, vacuum to degas.

Specification:

Appearance: Gray white paste
pH (1:9) = 6.2

Stability:

Pass 1 month at -18°C, 5°C, 25°C, 45°C and D65.
Freeze-Thaw test: 3 cycles.



Disclaimer:

The information in this publication is believed to be accurate and is given in good faith, but no representation or warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions. Users are responsible for determining the suitability of these products for their own particular purpose. NO WARRANTIES OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, OR THAT DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. Nothing contained herein is to be considered as permission, recommendation, nor as an inducement to practice any patented invention without the permission of the patent owner.